

Best Sand, Silica Sand and Gravel

Silica Filtration Media

Our filtration silica sand and gravel offer extremely high pure silica content (>99% SiO2). All products are double scrubbed and dried to remove all clay, shale, and inorganic impurities, then dried and sized using PLC controls for consistency. These products meet AWWA B100 Specifications for Granular Filter Media and are NSF certified for Standard 61 – Drinking Water System Components & Materials. Our full-service laboratory continually monitors our sand and gravel products to ensure they adhere to the specifications you rely upon. All products are available in bulk, super sacks, and 50-pound bags.




Typical Chemical Analysis - (530 Dry)					
% Cr ₂ O ₃	0.002				
% Ni	0.000				
% Fe ₂ O ₃	0.094				
% Mn	0.000				
% CaO	0.009				
% MgO	0.009				
% TiO ₂	0.035				
% Na₂O	0.007				
% K ₂ O	0.041				
% SiO₂	99.515				

Filtration Sand

- Various silica grades ranging from 0.20 to 3.0 mm
- High quality sub-angular grain
- ISO 9001 certified

Filtration Gravel

- Various grades ranging from 1/8 inch to 1-1/2 inch
- Extremely pure silica content (>99%)



Typical Analysis - Percent Retained on Each Mesh

Mesh	2.00 - 3.00	1.80 - 2.20	1.55 - 1.65	0.80120	0.45 - 0.55	0.20 - 0.30	0.10 - 0.20
4	Т						
6	37	1	0				
8	55	42	17	0			
10	7	41	34	3			
12	1	13	32	13			
16	Т	3	16	48	Т	Т	
20		Т	1	30	12	2	
30				4	45	9	
40				1	40	24	0
50				1	4	40	5
70				0	Т	21	55
100				Т		4	33
140						0	6
200						Т	1
Pan							Т
E.S. mm	2.40	1.86	1.57	0.88	0.47	0.23	0.15
U.C.	1.36	1.30	1.32	1.56	1.46	1.59	1.56

Gravel

Mesh	1 1/2"x 3/4"	3/4" x 1/2"	1/2" x 1/4"	1/4" x 1/8"	1/8" x 1/16"
1 1/2"	1				
1"	43				
3/4"	49	2			
1/2"	6	94	2		
3/8"		3	39		
1/4"		1	57	0	
4			1	22	
6			1	69	1
1/8"				5	3
8				3	41
10				1	40
12				0	12
Pan	1	Т	Т	Т	3

WARNING: Contains Free Silica. Do Not Breathe Dust.

Prolonged exposure to dust may cause delayed lung injury (silicosis). Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans (vol 68, 1997) concludes that there is sufficient evidence in humans for the carcinogenicity of inhaled crystalline silica in the forms of quartz and cristobalite (Group I) in certain industrial circumstances, but that carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution activity or distribution of its polymorphs. See Material Safety Data Sheet for detailed information.

CAS 14808-60-7 FOR INDUSTRIAL USE ONLY.

IMPORTANT: The technical data herein is believed to be accurate. It is offered for your consideration, investigation and verification.

Buyer assumes all risk of use, storage and handling of the product.

SELLER MAKES NO WARRANTY, EXPRESSED OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE OR CONCERNING THE ACCURACY OF ANY INFORMATION BY SELLER, except that the product shall conform to contracted specifications, and that the product does not infringe any valid United States patent. The information provided herein was believed by Seller to be accurate at the time of preparation or prepared from sources believed to be reliable, but it is the responsibility of the user to investigate and understand other pertinent sources of information to comply with all laws and procedures applicable to the safe handling and use of product and to determine the suitability of the product for its intended use. Buyer's exclusive remedy shall be for damages and no claim of any kind, whether as to product delivered or for non-delivery of product and whether based on contract, breach of warranty, negligence or otherwise shall be greater in amount than the purchase price of the quantity of the product in respect of which damages are claimed. In no event shall Seller be liable for incidental or consequential damages, whether Buyer's claim is based on contract, breach of warranty, negligence or otherwise.

